

# STANDBY GENERATORS

# 17-19kW<sup>1</sup> 3-PHASE STANDBY GENERATORS





# POWER YOU CAN DEPEND ON.

Help eliminate your customer's losses from power outages. Supported by a comprehensive commercial warranty, your customers can be confident that when the power goes out, it will perform.

Designed to offer you more options for homes or businesses with increasing electrical demands, three phase generators are part of a complete line of Standby Generators.

To learn more, visit www.powernow.com.

#### **FEATURES AND BENEFITS**

# **Reliable Engine Power**

Our standby generators are powered by commercial-grade Vanguard<sup>™</sup> engines that are design-engineered to dependably take on the most demanding jobs.

#### Simple Maintenance

More service access to the engine and alternator plus a userfriendly control panel make repairs easier and less costly for home and business owners.

#### 4-Year Limited Parts and Labor Warranty<sup>2</sup>

At Briggs & Stratton®, we stand behind our warranty and make it easy for our customers to work with us.

### **Durable Enclosure**

Rust-resistant, galvanneal steel enclosures are made from the same materials used in the automotive industry and feature an advanced powder coat paint process, resulting in years of protection against chips and abrasions.

# **Quick Response**

Automatically powers your home or business in seconds after sensing a power outage.

# **GENERATOR SET RATINGS**

	LP	GAS	NATUR	AL GAS					
MODEL NUMBER	KW¹	AMPS	KW¹	AMPS	VOLTAGE	POWER FACTOR	PHASE	HZ	BREAKER
040415	17	60	15.3	53	208/120wYe	.8	3	60	70
040422	19	58	17.1	51	240 Delta	.8	3	60	70

# WHY CHOOSE BRIGGS & STRATTON?

Briggs & Stratton offers a full line of automatic Standby Generators from 8 to 60kW for protection during a power outage.

#### TRUSTED BRAND

Briggs & Stratton has been providing reliable engine power for over 100 years. It's a name that your customers know and trust. Customers are confident that Briggs & Stratton products have the power to perform for many years.

#### **RELIABLE PRODUCTS**

Field-driven design and extensive testing, from prototype to production, help ensure that customers are receiving one of the best standby generators. Trust the proven power experts at Briggs & Stratton for complete peace of mind.

# SUPPORT EVERY STEP OF THE WAY

Need help? Just call 800-759-2744. Our technical support team is trained to answer questions on our generators, transfer switches and accessories.

Ready to place an order? Our team is ready to help. Call 1-87-RELY-ON-US.

#### CONTROLLER FEATURES

Hour Meter Yes
Weekly Exerciser Yes



- Low Oil ShutdownEngine Does Not Start
- Low Frequency
- Engine Overspeed
- Low Voltage
- Low Battery
- Voltage
- Engine Temp High
- Transfer Switch Fault

E	N	G	IN	ΙĒ					
5	o	E	CI	F١	C/	ΔТ	10	N	Ē

17KW1

19KW1

Engine Model	Briggs & Stratton Vanguard™
Engine Model Type Trim Number	613275-0118-B1
Engine Type	V-Twin, 4-Cycle
Engine Cylinder Configuration	OHV
Number of Cylinders	2
Engine Speed	3600 RPM
Displacement (cu.in./cc)	60.6/993
Bore (in)	3.37
Stroke (in)	3.41
Engine Weight (lbs)	125
Engine Fuel	Liquid Propane/Natural Gas
Induction System	Naturally Aspirated
Starter	Industrial Electric Solenoid Shift
Valves	OHV with Hardened Seats
Air Filter Type	Dry Cartridge, UL Approved
Governor Type	Electronic
Frequency Regulation	E-governing control
Start Type	Automatic
Lubrication System	Full Pressure
Recommended Oil	5W30 Full Synthetic
Oil Capacity (oz.)	78
Oil Cooler	Yes
Low Oil Pressure Sensor	Yes
Cooling System Type	Air-cooled

LP GAS FUEL CONSUMPTION <sup>4</sup>	17KW¹	19KW¹	
100% Load (ft³/hr / gal/hr)	125/3.42	130/3.55	
50% Load (ft³hr / gal/hr)	77/2.10	82/2.24	

NG FUEL CONSUMPTION <sup>a</sup>	17KW¹	19KW1	
100% Load (ft³hr)	257	260	
50% Load (ft³/hr)	160	172	

#### SOUND RATING AT 7 METERS, PER ISO 3744

5kW1 Load (dBA) 69.5

#### CERTIFICATIONS

UL Yes cUL Yes

#### LIMITED WARRANTY<sup>2</sup>

Warranty (Parts/Labor & Travel) 4 Years

#### ALTERNATOR SPECIFICATIONS

Manufacturer	Briggs & Stratton
Туре	Self-Excited, Rotating Field
Brushed/Brushless Alternator	Brushed
Voltage Regulation	Automatic
Number of Poles	2
Insulation	Class F

#### **WEIGHT AND DIMENSIONS**


# 17KW<sup>1</sup>/19KW<sup>1</sup>

<b>Assembled</b>	Weight	(lbs)	500
------------------	--------	-------	-----

Assembled Dimensions 48" x 34" x 31" (L x D x H)

Packaged Weight (lbs) 580

**Packaged Dimensions** 72" x 36" x 39" (L x D x H)






Illustration may very slightly from actual unit

Not for Prime Power or use where standby systems are legally required, for serious life safety or health hazards, or where lack of power hampers rescue of fire-fighting operations.

<sup>1</sup> This generator is rated in accordance with UL (Underwriters Laboratories) 2200 (stationary engine generator assemblies) and CSA (Canadian Standards Association) standard C22.2 No. 100-04 (motors and generators)

<sup>2</sup> Warranty details available at briggsandstratton.com

\* Fuel consumption rates are estimated based on normal operating conditions. Generator operation may be greatly affected by elevation and the cycling operation of multiple electrical appliances – fuel flow rates may vary depending on these factors.

**BRIGGS&STRATTON** 

#### OTHER FEATURES

Enclosure Material	Galvanneal with
Enclosure Material	Corrosion Resistant Paint

Overcrank Protection

20s or 50s ATS Engine Warm-Up (Time) Jumper Controlled

**Engine Cool Down** 

26s or 56s ATS Response Time Jumper Controlled

2 Wire Sensing

Continuous Battery Charging

Yes

**Battery** 

12V, Not included. BCl size 26, battery min 540 CCA; Below O°F: BCI size 75 battery, min 630 CCA

Yes

1 min.

Yes

#### **INCLUDED EXTRAS**

· battery charger nil hour meter

#### TRANSFER SWITCHES

#### **GE ZENITH TRANSFER SWITCHES**

Advanced, high-speed switching for today's most critical loads, GE Zenith transfer switches are highly reliable for essential business applications. GE Zenith Transfer Switches are available in a variety of ampacities and configurations.

Receive a 2 year limited warranty when you purchase a GE Zenith Transfer Switch from Briggs & Stratton.

#### **AVAILABLE ACCESSORIES**

#### **MAINTENANCE KIT (6036)**

Maintenance kits help you complete scheduled and preventative maintenance on your standby generator. Designed specifically for your generator's needs, each maintenance kit contains oil and air filters, an oil funnel, oil and spark plugs.

#### **COLD WEATHER KIT (6231)**

Help ensure smooth operation in the winter months. The thermostatically controlled battery warmer and oil heater activate as the temperature drops helping the standby generator operate in colder temperatures. Using this kit, the 17kW1/19kW1 home generators are tested to start as low as -25° F. Kit includes two oil warmers and one battery warmer.

#### **BASIC WIRELESS MONITOR (6229)**

Easy, trouble-free monitoring is a reality with the new Briggs & Stratton® Basic Wireless Monitor. Place the wireless monitor in your home and know your generator is working without ever having to go outside.

# INFOHUB™

Using your computer, tablet or smart phone, standby generator owners can instantly check their generator's system status from home or away. The cellular-based system sends generator status alerts or maintenance needs to your personal email, phone or servicing dealer's phone.

Briggs & Stratton Corp. reserves the right to make changes in specifications and features shown herein, or discontinue the product described at any time without notice or obligation.



